

**Listing of Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claim 1 (currently amended): A method for using a data processing system as a function of an authorization in Internet Telephony, the method comprising the steps of:

defining a basic authorization level relating to execution of specific instructions using the data processing system for at least one basic user of the data processing system, the specific instructions being received in an Internet Markup Language and parsed user a parser;

defining a priority authorization level, which permits execution of instructions with wider ranging access rights in comparison to the instructions of the basic authorization level, for at least one priority user of the data processing system;

noting at least one of the instructions and a syntax of the instructions for the basic authorization level in a basic file section;

noting at least one of the instructions and a syntax of the instructions for the priority authorization level in a priority file section;

determining the authorization level of a user before the execution of the instructions of the user; and

using one of the basic file section and the priority file section, as a function of the authorization levels determined, to define the instructions which the user can execute.

Claim 2 (original): A method for using a data processing system as a function of an authorization as claimed in claim 1, the method further comprising the steps of:

storing the basic file section in a basic file; and

storing the preferred file section in a priority file, which differs from the basic file.

Claim 3 (original): A method for using a data processing system as a function of an authorization as claimed in claim 1, wherein at least one of the basic file section and the priority

file section does not itself define a program or program section which can be executed by a processor.

Claim 4 (original): A method for using a data processing system as a function of an authorization as claimed in claim 1, the method further comprising the step of:

defining the instructions of the basic authorization level and at least one of an additional instruction and an expanded syntax in comparison with the syntax of the basic authorization level for the priority authorization level.

Claim 5 (original): A method for using a data processing system as a function of an authorization as claimed in claim 1, the method further comprising the steps of:

transmitting, by a user, an instruction file with instructions to the data processing system for determining the authorization level;

checking the instructions contained in the instruction file as a function of the authorization level using one of the basic file section and the priority file section; and

storing the instruction file for a later execution if it contains only instructions which are valid for the authorization level which is determined.

Claim 6 (original): A method for using a data processing system as a function of an authorization as claimed in claim 5, the method further comprising the steps of:

determining the authorization level of the user before the processing of the instruction file; and

using one of the basic file section and the priority file section to process the instruction file as a function of the authorization level for the processing of the instruction file.

Claim 7 (original): A method for using a data processing system as a function of an authorization as claimed in claim 5, wherein the basic file section and the priority file section

contain at least one of instructions and a syntax of the instructions of a markup language, which is used to described contents of character chains, the markup language being selected from the group consisting of SGML, XML, HTML 4.0, and a markup language based on one of these languages, such that the instruction file contains instructions in the markup language.

Claim 8 (original): A method for using a data processing system as a function of an authorization as claimed in claim 5, wherein the basic file section in the priority file section define at least one of instructions and a syntax of the instructions for controlling a voice transmission via at least one of a circuit-switched telephone network and a packet-switched data transmission network, the syntax of instructions of a language selected from a group consisting of CPL and a language based on CPL, such that the instruction filed defines instructions for controlling the voice transmission.

Claim 9 (original): A method for using a data processing system as a function of an authorization as claimed in claim 5, wherein, for processing the instruction file, a same parser program is used for decomposing the instruction file into individual instructions.

Claim 10 (original): A method for using a data processing system as a function of an authorization as claimed in claim 5, wherein a same application program is used for executing the instructions, irrespective of the authorization level.

Claim 11 (currently amended): A data processing system which is used as a function of an authorization in Internet Telephony, comprising:

a part for defining a basic authorization level relating to execution of specific instructions using the data processing system for at least one basic user of the data processing system, the specific instructions being received in an Internet Markup Language and parsed user a parser;

a part for defining a priority authorization level, which permits execution of instructions with wider ranging access rights in comparison to the instructions of the basic authorization level, for at least one priority user of the data processing system;

a part for noting at least one of the instructions and a syntax of the instructions for the basic authorization level in a basic file section;

a part for noting at least one of the instructions and a syntax of the instructions for the priority authorization level in a priority file section;

a part for determining the authorization level of a user before the execution of the instructions of the user; and

a part for using one of the basic file section and the priority file section, as a function of the authorization level determined, to define the instructions which the user can execute.

Claim 12 (currently amended): A program having executable code stored on a computer-readable medium that when executed by one or more processors performs command sequence during whose execution a method for using a data processing system as a function of an authorization in Internet Telephony is executed by a processor, the method comprising:

~~executable code~~ for defining a basic authorization level relating to execution of specific instructions using the data processing system for at least one basic user of the data processing system, the specific instructions being received in an Internet Markup Language and parsed user a parser;

~~executable code~~ for defining a priority authorization level, which permits execution of instructions with wider ranging access rights in comparison to the instructions of the basic authorization level, for at least one priority user of the data processing system;

~~executable code~~ for noting at least one of the instructions and a syntax of the instructions for the basic authorization level in a basic file section;

~~executable code~~ for noting at least one of the instructions and a syntax of the instructions for the priority authorization level in a priority file section;

~~executable code~~ for determining the authorization level of a user before the execution of the instructions of the user; and

~~executable code~~ for using one of the basic file section and the priority file section, as a function of the authorization levels determined, to define the instructions which the user can execute.